

**ISUZU**

*Single Cab  
Specifications*

**D-MAX**



**THERE'S  
WORK  
TO DO**

**ISUZU**

*With you, for the long run*

**SINGLE CAB**
**4X2 M/T**
**4X2 M/T**
**ENGINE**

<b>Displacement (cc)</b>	2 499	2 499
<b>No. of Cylinders</b>	4	4
<b>Compression Ratio</b>	18.5:1	18.5:1
<b>Bore X Stroke (mm)</b>	93 X 92	93 X 92
<b>No. of Valves</b>	8	8
<b>Power @ r/min (kW)</b>	58 @ 3 900	58 @ 3 900
<b>Torque @ r/min (Nm)</b>	176 @ 1 800	176 @ 1 800
<b>Turbocharger</b>	Standard	Standard
<b>Intercooler</b>	-	-

**FUEL CONSUMPTION**

<b>Combined Cycle (l/100 km)</b>	7.9	TBD
<b>Combined CO<sub>2</sub> Emissions (g/km)</b>	208	TBD
<b>Fuel Type</b>	Diesel	Diesel

**TRANSMISSION**

<b>Transmission Type</b>	5-Speed Manual	5-Speed Manual
<b>Gear Ratio: 1st</b>	4.357	4.357
<b>Gear Ratio: 2nd</b>	2.502	2.502
<b>Gear Ratio: 3rd</b>	1.501	1.501
<b>Gear Ratio: 4th</b>	1.000	1.000
<b>Gear Ratio: 5th</b>	0.809	0.809
<b>Gear Ratio: Reverse</b>	3.97	3.97

**REAR DIFFERENTIAL**

<b>Differential Lock</b>	Optional	Optional
<b>Axle Ratio: Final Drive</b>	4.555	4.555

**CHASSIS DESIGN**

<b>Front Wheel Suspension</b>	Coil Over Shock	Coil Over Shock
<b>Rear Wheel Suspension</b>	Leaf-Spring Underslung	Leaf-Spring Underslung
<b>Shock Absorbers</b>	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)
<b>Suspension</b>	Low-Ride	Low-Ride
<b>Skid Plate Guard</b>	Standard	Standard
<b>Engine Sump Guard</b>	-	-

**WHEELS / TYRES**

<b>Tyre Size</b>	215 / 70 R16C	215 / 70 R16C
<b>Wheel Size / Type</b>	16" X 6.5J-41 Steel	16" X 6.5J-41 Steel
<b>Spare Wheel</b>	16" X 6.5J-41 Steel	16" X 6.5J-41 Steel
<b>Turning Circle: Curb-to-Curb (m)</b>	12.2	12.2

**DIMENSIONS**

<b>Length (mm)</b>	5 218	5 218
<b>Width (mm)</b>	1 860	1 860
<b>Height (mm)</b>	1 690	1 690
<b>Wheelbase (mm)</b>	3 095	3 095
<b>Front / Rear Track (mm)</b>	1 510 / 1 510	1 510 / 1 510
<b>Rear Overhang (mm)</b>	1 225	1 225
<b>Ground Clearance (mm)</b>	200	200
<b>Loadbox Length (mm)</b>	2 305	2 305
<b>Loadbox Width (mm)</b>	1 535	1 535

**250 LEED  
FLEETSIDE**

**250 LEED  
FLEETSIDE <sup>(1)</sup>**

**250 HO  
FLEETSIDE**

**250 HO  
FLEETSIDE <sup>(1)</sup>**

4X2 M/T	4X2 M/T	4X2 M/T	4X2 M/T
2 499	2 499	2 499	2 499
4	4	4	4
18.5:1	18.5:1	18.1:1	18.1:1
93 X 92	93 X 92	95.4 X 87.4	95.4 X 87.4
8	8	16	16
58 @ 3 900	58 @ 3 900	100 @ 3 400	100 @ 3 400
176 @ 1 800	176 @ 1 800	320 @ 1 800 – 2 800	320 @ 1 800 – 2 800
Standard	Standard	Standard	Standard
-	-	Standard	Standard
7.9	TBD	7.6	TBD
208	TBD	199	TBD
Diesel	Diesel	Diesel	Diesel
5-Speed Manual	5-Speed Manual	5-Speed Manual	5-Speed Manual
4.357	4.357	4.008	4.008
2.502	2.502	2.301	2.301
1.501	1.501	1.427	1.427
1.000	1.000	1.000	1.000
0.809	0.809	0.744	0.744
3.97	3.97	3.651	3.651
Optional	Optional	Optional	Optional
4.555	4.555	4.1	4.1
Coil Over Shock	Coil Over Shock	Coil Over Shock	Coil Over Shock
Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung
Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)
High-Ride	High-Ride	High-Ride	High-Ride
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
205 R16C	205 R16C	205 R16C	205 R16C
16" X 6.5J-33 Steel	16" X 6.5J-33 Steel	16" X 6.5J-33 Steel	16" X 6.5J-33 Steel
16" X 6.5J-33 Steel	16" X 6.5J-33 Steel	16" X 6.5J-33 Steel	16" X 6.5J-33 Steel
12.8	12.8	12.8	12.8
5 218	5 218	5 218	5 218
1 860	1 860	1 860	1 860
1 790	1 790	1 790	1 790
3 095	3 095	3 095	3 095
1 570 / 1 570	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570
1 225	1 225	1 225	1 225
225	225	225	225
2 305	2 305	2 305	2 305
1 535	1 535	1 535	1 535

**SINGLE CAB**
**4X2 M/T**
**4X2 M/T**
**DIMENSIONS**

Loadbox Depth (mm)	445	445
Approach Angle (°)	21.0	21.0
Departure Angle (°)	17.2	17.2
Breakover Angle (°)	17.6	17.6
Wading Depth (mm)	400	400

**MASS / CAPACITIES**

Gross Axle Mass – Front (GA1) (kg)	1 250	1 250
Gross Axle Mass – Rear (GA2) (kg)	1 870	1 870
Gross Vehicle Mass (GVM) (kg)	2 850	2 850
Gross Combined Mass (GCM) (kg)	4 450	4 450
Tare Mass (kg)	1 610	TBD
Payload (kg)	1 181	TBD
Towing Capacity (kg): Unbraked Trailer	750	750
Towing Capacity (kg): Braked Trailer	1 600	1 600
Fuel Tank Capacity (Litres)	80	80

**LOADBOX FEATURES**

Load Restraint Tiedown Brackets	4	4
Rope Hooks on Loadbox Side	Standard	Standard

**SAFETY FEATURES**

Load-Sensing Proportioning Valve (LSPV)	Standard	Standard
Height-Adjustable 3-Point Seatbelts	Standard	Standard
Front Seat Centre Lapbelt (2-Point)	Standard	Standard
Seatbelt Reminder	Driver	Driver
Driver & Passenger Airbags	-	Standard
Side-Impact Protection Bars	Standard	Standard
Collapsible Steering Column	Standard	Standard
Warning Triangle Kit	Standard	Standard

**SECURITY FEATURES**

Manual Door Locks	Standard	Standard
Anti-Theft Alarm System	Alarm Ready	Alarm Ready
Transponder Immobiliser System	Standard	Standard

**INTERIOR / EXTERIOR LIGHTING**

Interior Courtesy Lamps	Standard	Standard
Headlights	Halogen	Halogen
Headlight 'ON' Warning Buzzer	Standard	Standard
Side Indicator Lights on Doors	Standard	Standard
Rear Taillights – Combination	Bulb	Bulb
High-Mounted Centre Stoplight	Standard	Standard

**EXTERIOR FEATURES**

Wipers	Intermittent	Intermittent
Radiator Grille – Colour	Grey	Grey
Front Bumper – Colour	Black	Black
Exterior Door Handles – Colour	Black	Black
Exterior Mirrors	Black – Manual Adjustment	Black – Manual Adjustment
Mudflaps	Front & Rear	Front & Rear
Tailgate Handle	Body Colour	Body Colour

**250 LEED  
FLEETSIDE**

**250 LEED  
FLEETSIDE <sup>(1)</sup>**

**250 HO  
FLEETSIDE**

**250 HO  
FLEETSIDE <sup>(1)</sup>**

4X2 M/T	4X2 M/T	4X2 M/T	4X2 M/T
445	445	445	445
30.0	30.0	30.0	30.0
22.4	22.4	22.4	22.4
22.4	22.4	22.4	22.4
600	600	600	600
1 350	1 350	1 350	1 350
1 870	1 870	1 870	1 870
2 850	2 850	3 000	3 000
4 450	4 450	5 000	5 000
1 655	TBD	1 695	TBD
1 136	TBD	1 246	TBD
750	750	750	750
1 600	1 600	2 100	2 100
80	80	80	80
4	4	4	4
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Driver	Driver	Driver	Driver
-	Standard	-	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Alarm Ready	Alarm Ready	Alarm Ready	Alarm Ready
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Halogen	Halogen	Halogen	Halogen
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Bulb	Bulb	Bulb	Bulb
Standard	Standard	Standard	Standard
Intermittent	Intermittent	Intermittent	Intermittent
Grey	Grey	Grey	Grey
Black	Black	Black	Black
Black	Black	Black	Black
Black - Manual Adjustment	Black - Manual Adjustment	Black - Manual Adjustment	Black - Manual Adjustment
Front & Rear	Front & Rear	Front & Rear	Front & Rear
Body Colour	Body Colour	Body Colour	Body Colour

**SINGLE CAB**
**4X2 M/T**
**4X2 M/T**

INTERIOR FEATURES		
Power-Assisted Steering (PAS)	Hydraulic	Hydraulic
Air-Conditioner	-	-
Pollen Filter	-	-
Inside Rear-View Mirror	Day / Night	Day / Night
Sunvisor	Driver and Passenger	Driver and Passenger
Digital Clock	Standard	Standard
Dashboard Illumination Control	Standard	Standard
Auxiliary 12-V Power Socket	1	1
Cigarette Lighter without Illumination	Standard	Standard
Lockable Glove Box	Standard	Standard
Utility Box on Glove Box	Standard	Standard
Steering Column Adjustment	Tilt	Tilt
Steering Wheel Trim	Urethane	Urethane
Gearshift Trim	Standard	Standard
Front Seat Configuration	60:40-Split Bench Cushion	60:40-Split Bench Cushion
Seat Trim	Canvas	Canvas
Seat Adjustment	Driver – 4-Way Manual Adjustment	Driver – 4-Way Manual Adjustment
Door Trim with Storage Pockets and Integrated Cupholders	Standard	Standard
Interior Door Handles – Colour	Black	Black
Interior Trim Colours	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower
A-Pillar Assist Grip – Driver & Passenger	-	-
Roof-Mounted Assist Grips	Passenger	Passenger
Floor Trim	Vinyl with Heel Mats (x 2)	Vinyl with Heel Mats (x 2)
Driver Footrest	Standard	Standard
Window Operation	Manual – Front	Manual – Front
Rear Window	Fixed without Defogger	Fixed without Defogger
Fuelflap Remote	Standard	Standard
INFOTAINMENT		
Audio System	Optional	Optional
Speakers	Optional (x 2)	Optional (x 2)
OPTIONS		
Differential Lock	Available	Available
16" Alloy Wheels & 205 R16C Tyres (AT)	-	-
16" Alloy Wheels & 245 / 70 R16C Tyres (AT)	-	-
Front Bumper – Body Colour	Available	Available
Sliding Rear Window	Available	Available
AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming & Hands-Free Phone	Available	Available
Speakers	2	2
Antenna, Roof GPS	Available	Available
Metallic Paint	Available	Available
WARRANTY & SERVICE INTERVALS		
Warranty	3 Years / 100 000 km	3 Years / 100 000 km
Anti-Corrosion Warranty	3 Years / Unlimited km	3 Years / Unlimited km
Service Intervals	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km

**250 LEED  
FLEETSIDE**

**250 LEED  
FLEETSIDE <sup>(1)</sup>**

**250 HO  
FLEETSIDE**

**250 HO  
FLEETSIDE <sup>(1)</sup>**

4X2 M/T	4X2 M/T	4X2 M/T	4X2 M/T
Hydraulic	Hydraulic	Hydraulic	Hydraulic
Manual	Manual	Manual	Manual
Standard	Standard	Standard	Standard
Day / Night	Day / Night	Day / Night	Day / Night
Driver and Passenger	Driver and Passenger	Driver and Passenger	Driver and Passenger
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
1	1	1	1
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Tilt	Tilt	Tilt	Tilt
Urethane	Urethane	Urethane	Urethane
Standard	Standard	Standard	Standard
60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion	60:40-Split Bench Cushion
Canvas	Canvas	Canvas	Canvas
Driver – 4-Way Manual Adjustment	Driver – 4-Way Manual Adjustment	Driver – 4-Way Manual Adjustment	Driver – 4-Way Manual Adjustment
Standard	Standard	Standard	Standard
Black	Black	Black	Black
Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower
Standard	Standard	Standard	Standard
Passenger	Passenger	Passenger	Passenger
Vinyl with Heel Mats (x 2)	Vinyl with Heel Mats (x 2)	Vinyl with Heel Mats (x 2)	Vinyl with Heel Mats (x 2)
Standard	Standard	Standard	Standard
Manual – Front	Manual – Front	Manual – Front	Manual – Front
Fixed without Defogger	Fixed without Defogger	Fixed without Defogger	Fixed without Defogger
Standard	Standard	Standard	Standard
Optional	Optional	Optional	Optional
Optional (x 2)	Optional (x 2)	Optional (x 2)	Optional (x 2)
Available	Available	Available	Available
Available	Available	-	-
-	-	Available	Available
Available	Available	Available	Available
Available	Available	Available	Available
Available	Available	Available	Available
2	2	2	2
Available	Available	Available	Available
Available	Available	Available	Available
3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km
3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km
5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km

**SINGLE CAB**
**4X2 M/T**
**4X4 M/T**
**ENGINE**

Displacement (cc)	2 499	2 499
No. of Cylinders	4	4
Compression Ratio	18.1:1	18.1:1
Bore X Stroke (mm)	95.4 X 87.4	95.4 X 87.4
No. of Valves	16	16
Power @ r/min (kW)	100 @ 3 400	100 @ 3 400
Torque @ r/min (Nm)	320 @ 1 800 – 2 800	320 @ 1 800 – 2 800
Turbocharger	Standard	Standard
Intercooler	Standard	Standard

**FUEL CONSUMPTION**

Combined Cycle (l/100 km)	7.6	8.2
Combined CO <sub>2</sub> Emissions (g/km)	199	217
Fuel Type	Diesel	Diesel

**TRANSMISSION**

Transmission Type	5-Speed Manual	5-Speed Manual
Gear Ratio: 1st	4.008	4.008
Gear Ratio: 2nd	2.301	2.301
Gear Ratio: 3rd	1.427	1.427
Gear Ratio: 4th	1.000	1.000
Gear Ratio: 5th	0.744	0.744
Gear Ratio: 6th	-	-
Gear Ratio: Reverse	3.651	3.651
4WD Selector Switch	-	Standard
Low Range Ratio	-	2.482

**FRONT DIFFERENTIAL**

Shift on the Fly up to 100 km/h	-	Standard
Axle Ratio: Final Drive	-	4.1

**REAR DIFFERENTIAL**

Differential Lock	Optional	Standard
Axle Ratio: Final Drive	4.1	4.1

**CHASSIS DESIGN**

Front Wheel Suspension	Coil Over Shock	Coil Over Shock
Rear Wheel Suspension	Leaf-Spring Overslung	Leaf-Spring Overslung
Shock Absorbers	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)
Suspension	High-Ride	High-Ride
Skid Plate Guard	Standard	Standard
Engine Sump Guard	Standard	Standard
Transfer Case Guard	-	Standard

**WHEELS / TYRES**

Tyre Size	245 / 70 R16C	245 / 70 R16
Wheel Size / Type	16" X 6.5J-33 Steel	16" X 6.5J-33 Steel
Spare Wheel	16" X 6.5J-33 Steel	16" X 6.5J-33 Steel
Turning Circle: Curb-to-Curb (m)	12.8	12.8



**250 HO  
LE**

**300 LX**

**300 LX<sup>(1)</sup>**

4X2 M/T	4X2 M/T	4X2 M/T
2 499	2 999	2 999
4	4	4
18.1:1	17.3:1	17.3:1
95.4 X 87.4	95.4 X 104.9	95.4 X 104.9
16	16	16
100 @ 3 400	130 @ 3 600	130 @ 3 600
320 @ 1 800 – 2 800	380 @ 1 800 – 2 800	380 @ 1 800 – 2 800
Standard	Standard	Standard
Standard	Standard	Standard
7.6	7.7	TBD
199	203	TBD
Diesel	Diesel	Diesel
5-Speed Manual	6-Speed Manual	6-Speed Manual
4.008	4.942	4.942
2.301	2.43	2.43
1.427	1.428	1.428
1.000	1.000	1.000
0.744	0.749	0.749
-	0.634	0.634
3.651	4.597	4.597
-	-	-
-	-	-
-	-	-
-	-	-
Standard	Standard	Standard
4.1	3.727	3.727
Coil Over Shock	Coil Over Shock	Coil Over Shock
Leaf-Spring Overslung	Leaf-Spring Overslung	Leaf-Spring Overslung
Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)	Twintube Gas Pressurised (Heavy-Duty)
High-Ride	High-Ride	High-Ride
Standard	Standard	Standard
Standard	Standard	Standard
-	-	-
245 / 70 R16C	255 / 60 R18 AT	255 / 60 R18 AT
16" X 7.0J-33 Alloy	18" X 7.5J Alloy	18" X 7.5J Alloy
16" X 6.5J-33 Steel	18" X 7.5J Alloy	18" X 7.5J Alloy
12.8	12.8	12.8

**SINGLE CAB**
**4X2 M/T**
**4X4 M/T**
**DIMENSIONS**

<b>Length (mm)</b>	5 218	5 314
<b>Width (mm)</b>	1 860	1 860
<b>Height (mm)</b>	1 790	1 790
<b>Wheelbase (mm)</b>	3 095	3 095
<b>Front / Rear Track (mm)</b>	1 570 / 1 570	1 570 / 1 570
<b>Rear Overhang (mm)</b>	1 225	1 321
<b>Ground Clearance (mm)</b>	225	225
<b>Loadbox Length (mm)</b>	2 305	2 305
<b>Loadbox Width (mm)</b>	1 535	1 535
<b>Loadbox Depth (mm)</b>	445	445
<b>Approach Angle (°)</b>	30.0	30.0
<b>Departure Angle (°)</b>	22.4	22.4
<b>Breakover Angle (°)</b>	22.4	22.4
<b>Wading Depth (mm)</b>	600	600

**MASS / CAPACITIES**

<b>Gross Axle Mass – Front (GA1) (kg)</b>	1 350	1 350
<b>Gross Axle Mass – Rear (GA2) (kg)</b>	1 870	1 870
<b>Gross Vehicle Mass (GVM) (kg)</b>	3 000	3 000
<b>Gross Combined Mass (GCM) (kg)</b>	5 000	5 000
<b>Tare Mass (kg)</b>	1 710	1 835
<b>Payload (kg)</b>	1 231	1 106
<b>Towing Capacity (kg): Unbraked Trailer</b>	750	750
<b>Towing Capacity (kg): Braked Trailer</b>	2 100	2 100
<b>Fuel Tank Capacity (Litres)</b>	80	80

**LOADBOX FEATURES**

<b>Load Restraint Tiedown Brackets</b>	4	4
<b>Rope Hooks on Loadbox Side</b>	Standard	Standard

**SAFETY FEATURES**

<b>Anti-Lock Braking System (ABS)</b>	Standard	Standard
<b>Electronic Brake-Force Distribution (EBD)</b>	Standard	Standard
<b>Brake-Assist System (BAS)</b>	Standard	Standard
<b>Electronic Stability Control (ESC) with Traction Control</b>	Standard	Standard
<b>Hill-Start Assist (HSA)</b>	Standard	Standard
<b>Hill Descent Control (HDC)</b>	Standard	Standard
<b>Trailer Sway Control</b>	-	-
<b>Brake Override System (BOS)</b>	-	-
<b>Height-Adjustable 3-Point Seatbelts</b>	Standard	Standard
<b>Front Seat Centre Lapbelt (2-Point)</b>	Standard	-
<b>Seatbelt Pre-Tensioners</b>	Standard	Standard
<b>Seatbelt Reminder</b>	Driver	Driver
<b>Driver &amp; Passenger Airbags</b>	Standard	Standard
<b>Side-Impact Protection Bars</b>	Standard	Standard
<b>Collapsible Steering Column</b>	Standard	Standard
<b>Speed-Sensitive Door Lock</b>	-	-
<b>Park Distance Control (PDC)</b>	-	-
<b>Warning Triangle Kit</b>	Standard	Standard

250 HO  
LE

300 LX

300 LX <sup>(1)</sup>

4X2 M/T	4X2 M/T	4X2 M/T
5 314	5 314	5 314
1 860	1 860	1 860
1 790	1 790	1 790
3 095	3 095	3 095
1 570 / 1 570	1 570 / 1 570	1 570 / 1 570
1 321	1 321	1 321
225	220	220
2 305	2 305	2 305
1 535	1 535	1 535
445	445	445
30.0	30.0	30.0
22.4	22.4	22.4
22.4	22.4	22.4
600	600	600
1 350	1 350	1 350
1 870	1 870	1 870
3 000	3 100	3 100
5 000	6 000	6 000
1 735	1 810	TBD
1 206	1 231	TBD
750	750	750
2 100	3 500	3 500
80	80	80
4	4	4
Standard	Standard	Standard
Standard	Standard	Standard
Standard	Standard	Standard
Standard	Standard	Standard
Standard	Standard	Standard
Standard	Standard	Standard
-	Standard	Standard
-	Standard	Standard
Standard	Standard	Standard
-	-	-
Standard	Standard	Standard
Driver	Driver	Driver
Standard	Standard	Standard
Standard	Standard	Standard
Standard	Standard	Standard
Standard	Standard	Standard
-	Rear	Rear
Standard	Standard	Standard

**SINGLE CAB**
**4X2 M/T**
**4X4 M/T**

SECURITY FEATURES		
Manual Door Locks	Standard	-
Remote-Controlled Central Locking	-	Standard
Remote Keyless Entry	-	Standard
Anti-Theft Alarm System	Alarm Ready	Standard
Ultrasonic Alarm System	-	-
Transponder Immobiliser System	Standard	Standard
INTERIOR / EXTERIOR LIGHTING		
Interior Courtesy Lamps	Standard	Standard
Illuminated Entry	-	Standard
Fog Lights	-	-
Daytime Running Lights (DRL)	-	-
Headlights	Halogen	Halogen
Headlight 'ON' Warning Buzzer	Standard	Standard
Side Indicator Lights on Doors	Standard	Standard
Rear Taillights - Combination	Bulb	Bulb
High-Mounted Centre Stoplight	Standard	Standard
EXTERIOR FEATURES		
Wipers	Intermittent	Intermittent
Radiator Grille - Colour	Grey	Grey
Front Bumper - Colour	Black	Body Colour
Front Fog Lamp Bezels	-	-
Rear Bumper - Colour	-	Black
Towbar	-	Optional (2.1 T)
Exterior Door Handles - Colour	Black	Black
Exterior Mirrors	Black - Manual Adjustment	Black - Power Adjustment
Side-Steps	-	-
Mudflaps	Front & Rear	Front & Rear
Tailgate Handle	Body Colour	Body Colour
INTERIOR FEATURES		
Power-Assisted Steering (PAS)	Hydraulic	Hydraulic
Air-Conditioner	Manual	Manual
Pollen Filter	Standard	Standard
Inside Rear-View Mirror	Day / Night	Day / Night
Sunvisor	Driver and Passenger	Driver with Ticketholder, Passenger with Vanity Mirror
Digital Clock	Standard	Standard
Cruise Control	-	-
Multi-Information Display (MID)	-	-
Dashboard Illumination Control	Standard	Standard
Auxiliary 12-V Power Socket	1	1
Cigarette Lighter without Illumination	Standard	Standard
Lockable Glove Box	Standard	Standard
Utility Box on Glove Box	Standard	Standard
Steering Column Adjustment	Tilt	Tilt
Steering Wheel Trim	Urethane	Urethane



**SINGLE CAB**
**4X2 M/T**
**4X4 M/T**
**INTERIOR FEATURES**

Steering Wheel Multi-Function Controls	-	-
Gearshift Trim	Standard	Urethane
Front Seat Configuration	60:40-Split Bench Cushion	Bucket Seats (x 2)
Seat Trim	Canvas	Cloth
Seat Adjustment	Driver - 4-Way Manual Adjustment	Driver - 6-Way Manual Adjustment
Door Trim with Storage Pockets and Integrated Cupholders	Standard	Standard
Interior Door Handles - Colour	Black	Black
Interior Trim Colours	Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower
A-Pillar Assist Grip - Driver & Passenger	Standard	Standard
Roof-Mounted Assist Grips	Passenger	Passenger
Floor Trim	Vinyl with Heel Mats (x 2)	Vinyl with Heel Mats (x 2)
Floor Tunnel/Console with Integrated Cupholder	-	Standard
Centre Console Storage Box with Lid	-	Standard
Driver Footrest	Standard	Standard
Window Operation	Manual - Front	Power - Front with Driver One Touch, Jam Protection
Rear Window	Fixed without Defogger	Fixed without Defogger
Fuelflap Remote	Standard	Standard

**INFOTAINMENT**

Audio System	Optional	AM/FM Radio, CD Player, USB, Clock, Bluetooth® - Audio Streaming & Hands-Free Phone
Audio Input Terminal: Auxiliary, iPod	-	Standard
USB Port (Music Playback and Device Link)	-	-
USB Charge Ports	-	-
Speakers	Optional (x 2)	2
Antenna	-	Standard

**OPTIONS**

Differential Lock	Available	-
16" Alloy Wheels & 245 / 70 R16C Tyres (AT)	Available	Available
18" Silver Diamond-Cut Alloy Wheels & 255 / 60 R18 Tyres (AT)	-	Available
Front Bumper - Body Colour	Available	-
Sliding Rear Window	Available	Available
Fixed Rear Window without Defogger	-	-
Black Partial Leather Seats with Driver 6-Way Manual Adjustment	-	Available
AM/FM Radio, CD Player, USB, Clock, Bluetooth® - Audio Streaming & Hands-Free Phone	Available	-
AM/FM Radio, 8" Touchscreen, Bluetooth® - Audio Streaming & Hands-Free Phone,	-	Available
Speakers	2	4
Antenna, Roof GPS	Available	-
Metallic Paint	Available	Available

**WARRANTY & SERVICE INTERVALS**

Warranty	3 Years / 100 000 km	3 Years / 100 000 km
Anti-Corrosion Warranty	3 Years / Unlimited km	3 Years / Unlimited km
Service Intervals	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km

250 HO  
LE

300 LX

300 LX <sup>(1)</sup>

4X2 M/T

4X2 M/T

4X2 M/T

Audio	Audio & Auto Cruise	Audio & Auto Cruise
Urethane	Urethane with Silver Garnish Trim	Urethane with Silver Garnish Trim
Bucket Seats (x 2)	Bucket Seats (x 2)	Bucket Seats (x 2)
Cloth	Cloth	Cloth
Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment	Driver – 6-Way Manual Adjustment
Standard	Standard	Standard
Black	Black	Black
Light Grey Upper / Dark Grey Lower	Light Grey Upper / Dark Grey Lower	Dark Grey Upper / Dark Grey Lower
Standard	Standard	Standard
Passenger	Passenger	Passenger
Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)	Carpet with Heel Mat (x 1)
Standard	Standard	Standard
Standard	Standard with Soft-Touch Finish	Standard with Soft-Touch Finish
Standard	Standard	Standard
Power – Front with Driver One Touch, Jam Protection & Timer	Power – Front with Driver One Touch, Jam Protection & Timer	Power – Front with Driver One Touch, Jam Protection & Timer
Sliding	Sliding	Sliding
Standard	Standard	Standard
AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone	AM/FM Radio, 8" Touchscreen, Bluetooth® – Audio Streaming & Hands-Free Phone
Standard	Standard	Standard
Front	Front	Front
–	Front	Front
4	4	4
Standard	Standard	Standard
–	–	–
–	–	–
Available	–	–
–	–	–
–	–	–
Available	Available	Available
Available	Available	Available
–	–	–
–	–	–
–	–	–
–	–	–
Available	Available	Available
3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km
3 Years / Unlimited km	3 Years / Unlimited km	3 Years / Unlimited km
5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km	5 000 km / 10 000 km / 15 000 km

**THERE'S  
WORK  
TO DO**

---

**ISUZU**

*With you, for the long run*

**Notes:**

(1) Available midyear 2020.

The information herein is provided as a guide only. Specification is subject to change at any time.

Please contact your nearest dealer to confirm current specification.

Errors & Omissions Excepted. Model/s shown may differ. Date of issue May 2020.